

Committed
to Quality
delivering
Affordability



*Ticks making your pet
itch all day long*

Ayushtick

Ayurvedic Spray

High Potent Camphor Oil of Turpin & Oil Base q.s.



An Unique Combination for the
Control of Ticks, Flies, Lice
& Mites in Dogs, Cattle, Sheep,
Goat & other Farm & Pet Animals

Directions :

Shake well. Lightly spray on wet Animal entire coat until damp, But not dripping, Do not spray on the Face, Eyes or Genitals.

Cover the entire coat including the Leg, Tail & Stomach.
Leave it for 8 hours or Overnight & give a bath after it.
Repeat as necessary.

Say no to.....Ticks, Fleas, Lice & Mites

Presentation : 100ml.

*An antidote to organophosphorus
poisoning and co-therapy diarrhea.*

Atorpe

Atropine Sulphate 1mg/ml Injection



Blocks the muscarinic receptor and thereby inhibits the effect of acetylcholine, reducing the parasympathetic activity of this chemical.

An Antidote to organophosphorus poisoning

Co-therapy diarrhoea.

Pre-anaesthetic Medication

Dosage :

Route : I/M slow I/V and S/C

For the treatment of Diarrhoea: 30 to 40 ml/cow, buffalo for the treatment of Poisoning.

Large Animal : 0.01- 0.1 mg / kg. B. Wt

Small Animal : 0.02 - 0.04 mg / kg. B. Wt

Presentation : 100ml.

**TOUGH pathogens
have a tough approach**

Bactamox^{3.0} ^{4.5}

Amoxicillin 2000 / 3000 mg.
& Sulbactam 1000 / 1500 mg. Injection



Mastitis

Urinary Tract Infections

Respiratory Tract Infections

Other complicated bacterial infections

Dosage :

7 - 10 mg per kg body weight
through IM/IV route


...Right approach, trusted result

Presentation : 3 & 4.5gm

**TOUGH pathogens
have a tough approach**

Bactamox-C

Amoxicillin 2250 mg.
& Cloxacillin 2250 mg. Injection



Mastitis

Urinary Tract Infections

Respiratory Tract Infections

Other complicated bacterial infections

Dosage :

7 - 10mg per kg body weight
through IM/IV route


...Right approach, trusted result

Presentation : 4.5gm

TOUGH pathogens
have a tough approach

Bactamox

Amoxycillin 1250 mg.
& Sulbactam 250 mg. Bolus



Mastitis

Urinary Tract Infections

Respiratory Tract Infections

Other complicated bacterial infections

Dosage :

1-2 Bolus Twice daily for 3 to 5 days

...Right approach, trusted result

Presentation : 10x2 Bolus

for strengthen of conception rate Post AI

Brulin

Buserelin Acetate 4mcg/ml. Injection



Dosage :

Cattle

Fertility disorder of ovarian origin
Early post-partum oestrus cycle induction
Improvement of conception rate post artificial
insemination, Synchronisation of oestrus

5 ml
5 ml

2.5 ml

Mares

Improvement of conception
Induction of ovulation to synchronise
ovulation more closely with mating

10 ml

10 ml

Delayed Ovulation &
Anovulation

Anoestrus, Abnormal
Oestrus Cycle

Ovarian Cyst, Nymphomania

Improvement of conception
rate (at the time of A.I.)

Oestrus synchronisation

Improvement of pregnancy
rate (11-12 days after A.I.)

Improvement of post
-partum fertility
(10-15 days post calving)

Presentation : 5ml.

When the situation are against animal

Butacol

Butaphosphan 100 mg
& Cyanocobalamin 50 mcg/ml



Dosage :

Cattle, horses: 10-25 ml per animal
Foal, calves: 5-12 ml per animal
Sheep, goats: 2.5-8 ml per animal
Lambs: 1.2-2.5 ml per animal
Pigs: 2.5-10 ml per animal
Poultry: 0.5-1 ml per bird

aids faster recovery

Presentation : 30 & 100 ml

Protecting the valuablewith the better coverage

Cefbec 3.0 4.5

Cefoperazone 2000/3000mg.
& Sulbactam 1000/1500mg. Injection



Unique features :

- Safe in pregnancy
- Crosses Blood Brain Barrier
- Exclusively active against Pseudomonas
- More bioavailability than ceftriaxone as less serum protein binding

**Recommended drug
for Mastitis in
lactating animals**

Ref. European agency for evaluation of Vet. Medicinal Products
ENEA-MRL/512 Oct. 1998

Administration & Dosage :

By I/M & I/V use only.

Large Animals : 5 - 10 mg / Kg. Body wt.*

Small Animals : 10 - 15 mg / Kg. Body wt.*

(* 3 to 5 days)

most advanced Antibiotic

Presentation : 3 & 4.5g Vial

THE TOUGH INFECTIONS

Ceftrex

Ceftriaxone 500 & 3000 mg Injection



A powerful 3rd
generation Cephalosporin

- ▶ Broad coverage
- ▶ High inhibitory ratio & efficacy
- ▶ Superior pharmacokinetics (ADME)
- ▶ Fast acting & safe

Dosage :

10 mg. per kg body weight
through IM/IV route

TOUGH CONTENDER TO THE PATHOGENS

Presentation : 500 & 3000mg

THE TOUGH INFECTIONS

Ceftrex-SB^{3.0}_{4.5}

Ceftriaxone 2000/3000mg
& Sulbactam 1000/1500mg Injection



Mastitis, Metritis & Pyometra

Nephritis & Cystitis

Surgical Infections

Haemorrhagic Septicaemia

Intra-abdominal Infections

Dosage :

Depending upon severity
10 to 15 mg./kg body weight.

TOUGH CONTENDER TO THE PATHOGENS

Presentation : 3g & 4.5g Vial

An answer to challenging bacterial infections

Ceftrex-TZ^{4.5}

Ceftriaxone 4gm &
Tazobactam 500mg Injection



Dosage :

Depending upon severity
10 to 15 mg./kg body weight.

Complicated Mastitis | Respiratory Tract Infections

Urogenital Tract Infections

like Metritis, Nephritis, Pyometra, Cystitis.

Gastrointestinal Tract Infections | Bacterial Septicaemia

Meningitis | Skin & Soft Tissue Infections

Post-operative Bacterial Infections

Prevention of Secondary | Bacterial Infection

Presentation : 4.5g Vial

An answer to challenging bacterial infections

Ceftrex-TZ^{562.5}

Ceftriaxone 500mg & Tazobactam 62.5mg
Injection



Dosage :
15-25 mg/kg every 24 hours

Respiratory tract infection | Bacterial dermatological infections

Urinary tract infections | Bone and Joint infections

Bacterial septicaemia | Intra-abdominal infection


Meningitis | Surgical prophylaxis

Presentation : 562.50mg

For the treatment of livestock
Bactericidal, Anti-inflammatory & anti-virus.

Cetfur

Ceftiofur Sodium 1 gm Vial



Dosage :

Cattle, Sheep & Goat :
1.1 to 2.2 mg. / kg for
3 to 5 days

Horses :

2.2 mg. to 4.4 mg. / kg

Dogs :

2.2 mg. / kg body weight
by SC route

Bacterial Respiratory Infection

Actinomycosis

E. Coli

Strange Fever

High Fever

Salmonella

Hysteritis Embolism

Cold

Infection

Presentation : 1 gm Vial

A powerful luteolytic agent....

Cloprost

Cloprostenol 250 mcg/ ml.



Unobserved Or Undetected
Estrus In Cows Cycling Normally,

Pyometra or Chronic Endometritis,

Expulsion of Mummified Fetus,

Luteal cysts,

Induced Abortions After Mismating

To Schedule Estrus and Ovulation

For Controlled Breeding

Dosage :
Single or Repeated (2 ml. by IM)

Presentation : 2 ml. Disp. Pack

for digestive upsets due to poisoning,
acidosis/grain overload, excess ammonia or enteritis.



Poisoning due to organic chemicals,
insecticides pesticides, heavy metals etc.

Ruminal impaction, Ruminal acidosis

Bloat & Tympany

Drug Overdose



Cow, Buffalo & Horse:

1-2 ml./ kg. body wt.

(500 ml. as one dose)

Calf, Pig, Sheep & Goat :

2 ml./kg. body wt..

Dog & Cat : 3-4 ml./kg. body wt.

Repeat dose after 12 hours.

Poisoning : 3-4 times of suggested usage
& repeat after 4-6 hours for 24 hours

Presentation : 100, 200 & 500ml. Susp

*Value in recovery
from parasitic burdens, injury, surgery, illness & in old age.*

Cydomin



Each ml contains:	
Thiamine Hydrochloride	50mg
(Vitamin B1)	
Pyridoxine Hydrochloride	50mg
(Vitamin B6)	
Cyanocobalamin	500mcg
(Vitamin B12)	
Benzyl Alcohol	1.5% v/v
(As Preservative)	
Water For Injections	q.s.

Non-specific anorexia, Convalescence,
Debility & General Weakness
Mastitis, Indigestion, Diarrhea,

DOSAGE AND ADMINISTRATION

Large Animals : 10-15 ml,
Small Animals : 5 - 7 ml

Presentation : 100ml.

Ectoparasiticide for the control of ticks, flies, lice and mites on cattle, sheep, poultry and dogs.

Cypotick-EC

Cypermethrin 10% w/v



*Kills single
and multi-host*

Dosage :

Add 1 to 2 ml. liquid in 1 ltr water and apply the prepared solution thoroughly on the Animal Body

Repeat as required

Presentation : 15 & 50 ml.

In allergic conditions

Dalrup

Chlorpheniramine Maleate 10mg/ml Injection

Skin allergies
(Acute & Chronic Urticaria)

Allergic Rhinitis & Conjunctivitis

Local & Generalized Allergies

Prevention of Anaphylactic Reactions

Co-prescription with Antibiotics



ECZEMA | INSECT BITE | ASTHMA

Dosage & administration:

Large animals: 3-5 ml by I/M route only

Small Animal Dosage

Dogs • 4-8 mg/dog up to a maximum dose of 0.5 mg/kg

Cats • 2 mg/cat 0.5-2 ml by I/M route only

Presentation : 100ml Vial

PREVENT BEFORE A FLEA INFESTATION IT BEGINS



Deltick-EC

Deltamethrin 1.25 % w/v

Control Ticks, flies,
lice & Mites
in
Cattle, sheep, poultry & dogs



USAGE : Dilution in 1 Liter of water

Dogs	1 ml.	Whole body spray/wash.
Cattle	1 ml.	Whole body spray, dip, Initial charge and replenishment.
	5 ml.	Backline spray 0.5 lit./animal.
Sheep	1 ml.	Dip initial charge and replenishment.
Poultry	1 ml.	60 Liters spray mixture for 100 birds.
Animal Housing	20 ml.	5 Liters of emulsion per 100 sq.m. surface

Presentation : 15 & 50 ml.

*Strengthen the immunity.....
to fight against antibodies*

Emmuno Care

Vitamin E 50000 mg., Selenium 500 mg.,
Biotin 50 mg. & BHT 250 mg. / 1000 ml.



Dosage : Inclusion Rate

Per 1000 Birds to be given orally
in water for 5 to 7 days

	0 to 2 weeks	3 to 5 weeks	6 week onwards
Broilers	20 ml.	30 ml.
Layers	20 ml.	30 ml.	40 -50 ml.
Breeders	20 ml.	30 ml.	80 - 100 ml.

Presentation : 500 ml.

The power of two

Emiclox

Ampicillin 2000 mg. &
Cloxacillin 2000 mg. Injection



Mastitis & Metritis | Pneumonia | Enteritis

Retained Placenta | Systemic & Local Infections

Haemorrhagic Septicaemia | Pre & Post-operative Care

Dosage :

Large Animals : 10 - 20 mg. /kg. body wt.

Small Animals : 5-10 mg. /kg. body wt.

Presentation : 4g Vial

**Knock out Gram +ve, Gram -ve bacteria,
mycoplasma & their mixed infections**

Enolox

Enrofloxacin 100 mg./ml.



- Total spectrum coverage
- Effective at low dose
- High tissue distribution
- Peak serum level achieved within 1-2 hrs.

Dosage

Calves, Cattle,
Sheep & Goat

1 ml. per 20 - 40 kg /
body weight for 3 to 5 days
Swine :



1 ml. per 20 -40 kg/body weight

Presentation : 100ml. Vial

**Knock out Gram +ve, Gram -ve bacteria,
mycoplasma & their mixed infections**

Enolox-DS

Enrofloxacin 200 mg./ml.




- Total spectrum coverage
- Effective at low dose
- High tissue distribution
- Peak serum level achieved within 1-2 hrs.

Dosage
1 ml. per 40 -80 mg/ kg
body weight.

Presentation : 30 & 100ml.

Enolox

Enrofloxacin 10% Oral Solution



Dosage

For oral administration:
Calves, goats and sheep:
Twice daily 10 ml per 75 - 150 kg
body weight for 3 - 5 days.

Poultry:

1 litre per 1500 - 2000 litres of
drinking water for 3 - 5 days.

Swine:

1 litre per 1000 - 3000 litres of drinking
water for 3 - 5 days.

Presentation : 100ml.

*The Versatile antibiotic
for assured results*

Enox-F

Enrofloxacin 100mg & Flunixin Meglumine 10mg./ml. Injection



Respiratory Tract Infection

Metritis & Pyometra

Mastitis

Enteritis

Nephritis

Pyrexia of Unknown origin

Dosage :

Large Animals : 15 ml - 15 ml on Both Sides for 3 days

PAIN KILLER, ANTIBIOTIC SYNERGISTIC

Presentation : 30ml Vial

*The Versatile antibiotic
for assured results*

Eno|X-F

Enrofloxacin 200mg & Flunixin Meglumine 400mg Bolus



Respiratory Tract Infection

Enteritis

Metritis & Pyometra

Nephritis

Mastitis

Pyrexia of Unknown origin

Dosage : 1 Bolus Twice a day for 3- 5 days

Presentation : 10 x 1 Bolus

Treat the conditions with ease...

Esoflud

Isoflupredone Acetate 2 mg./ ml.
Injectable Suspension



Dosage :

Cattle and Buffalo : 5 - 10 ml.
Horse : 2.5 - 10 ml.
Sheep & Goat : 0.5 - 1 ml.

Musculoskeletal Conditions | Allergic Reactions
Overwhelming Infections with Severe Toxicity | Shock

Traumatic Arthritis | Osteoarthritis

Mastitis | Myositis | Metritis | Pneumonia

Other Indications: Exhaustion following surgery or
dystocia, retained placenta, inflammatory ocular
conditions, snakebite and other stress conditions.

Presentation : 10ml. Vial

Effectiveness for anaemia treatment in livestock

Fenitol

Supplement of Iron, Folic Acid, Vitamin B12
fortified with Copper, Cobalt, Essential &
Non Essential Amino Acids **Liquid**



Dosage :

Cattle: 30-40 ml. daily.
Sheep/Goat: 10-20 ml. daily.
Swine 15-20 ml. daily.

Poultry:

Chicks:

50 ml./per 100 birds.
Grower/Layer/Broiler:
100-150 ml./per 100 birds.

Haemolytic anemia caused because of protozoal diseases i.e. Trypanosomiasis, Babesiosis, Anaplasmosis.

Iron deficiency anemia

Treatment, prevention & control of anemia of nutritional origin, pregnancy or in young animals.

Vitamin B12 deficiency

Poor diet.

Improvement of body condition & immunity

Folic Acid deficiency.

Improved productivity.

Presentation : 500ml, 1 & 5 Ltr

Total spectrum anthelmintic.....
with Endectocide

Fentin

Fenbendazole 3000mg
& Ivermectin 10mg **Bolus**

Fenbendazole 3% & Ivermectin 0.1%
Oral Suspension



Dosage :
1 Bolus for 350 kg body weight

SAFEST DEWORMER
in
Pregnancy
Lactation
Weakness

Dosage :
Cattle, Buffalo, Sheep, Goat
1ml/3kg body weight

Anthelmintic against
Nematodes, Cestodes & Trematode Infestations

Presentation : 1 Bolus pack & 1 ltr pack



*Faster healing of wounds
& boosting immunity*

FHB

B O L U S

Enzymes, Amino Acids, Vitamins &
Herb Concentrate for Livestock Bolus

Each uncoated bolus contains :	
Zinc Sulphate	150 mg.
D-Biotin	100 mcg.
Bromelain	160 mg.
Vitamin A	12000 IU.
Vitamin E	200 mg.
Vitamin D3	2400 IU.
Lysine	500 mg.
Aloevera	50 mg.
DL-methionine	500 mg.
Vitamin B12	20 mcg.
Choline Chloride	500 mg.



Dosage :
Large Animal :
2 Bolus daily for 4 days
Small Animal :
1/2 Bolus daily for 4 days.

FMD lesions, Degnala disease, Surgical wounds
Inflammatory Conditions like : Mastitis, Metritis

Presentation : 10x4 Bolus

Deficiency & low bio-availability of
Vitamins Minerals Micro nutrients
leads to depletion of nutrition in animals boot your animals

Fitplex

Thiamine HCl.10 mg, Riboflavin 3 mg,
Cyanocobalamin 10 mcg., Niacinamide 100 mg., Pyridoxine
Hcl. 5 mg, Choline Chloride 25 mg, Liver Injection Crude 0.66 ml/ml



Non-Specific Anorexia
During Convalescence
Liver Disorder
Debility
General Weakness

Dosage :
Dogs & Cats
2 to 5 ml. daily for 3 or more days
Horses, Cattle & Buffalo
10 ml. daily for 3 or more days
Calves, Sheeps, Goat
5 ml. daily for 3 or more days

Presentation : 30 & 100ml. Vial

Shed pain frames from the cattle's life

Flunim

Flunixin 50 mg. Injection



- To control inflammation & pyrexia associated with **Mastitis, Metritis, Pneumonia & Endotoxemia (Septicemia)**
- For alleviation of inflammation & Pain associated with musculoskeletal disorders.
- Control of visceral pain associated with colic.

Dosage :

Cattle, Sheep & Goat : 1 - 2 ml. per 45 kg body weight by IM/ IV

Dogs and Cats : 0.5 - 2 ml. per kg body weight by IV

Pigs : 2 ml. per 45 kg body weight by IM/ IV

Presentation : 20 & 100ml. Vial

A Unique combination of highly concentrated essential aminoacids, Toxin Binders, Stress Releavers, B-Complex Vitamins fortified with Inositol, Biotin, Vitamin A, D3, E & C

Forplex



Each 10 ml contains :

Vitamin A	5000 IU
Vitamin D3	1000 IU
Vitamin E	15 mg.
Vitamin C	25 mg.
L-Lysine	175 mg.
Dl-Methionine	150 mg.
Choline Chloride	400 mg.
Vitamin B1	1.86 mg.
Vitamin B2	1.25 mg.
Vitamin B6	0.62 mg.
Vitamin B12	6.25 mcg.
Niacinamide	30 mg.
D-Panthenol	1.26 mg.
Inositol	10 mg.
Biotin	50 mcg.

USAGE :

Livestock :

Sheep, Goat & Calves :

10-15 ml. per day for 5 days

Cows & Buffaloes :

10-15 ml. per day for 5 days

Dogs & Cats :

2.5 - 5 ml. per day for 5 days

Poultry

Chicks :

10 - 15 ml. per 100 birds for 7 days

Growers :

15 - 25 ml. per 100 birds for 7 days

Layers & Broilers :

25 - 30 ml. per 100 birds for 7 days

Presentation : 500ml., 1 & 5 Ltr.

An ideal Vitamin supplement

Forplex-H

Vit. A 250000 IU, Vit. D3-25000 IU,
Vit. E 100 I.U., Vit H 12.5 mcg/ 5 ml



- Milk Quantity and Milk Fat%
- Hoof Health
- Rumen Metabolism & VFA production
- Udder Immunity
- Conception rate & Foetal Growth

Dosage :
10 ml per 250 - 300 kg body weight

Presentation : 10ml. Vial

MANAGE

Diarrhea & Dysentery.....

Furamol

Metronidazole 1000 mg., Furazolidone 500 mg.
& Loperamide Hydrochloride 7.5 mg. **Bolus**



- D & D of bacterial & protozoal origin
- Gastroenteritis of bacterial origin
- Feed Poisoning due to Salmonella sub type
- Calf Scours, Enteritis & Dehydration

Dosage :

Large Animals :

4 bolus twice daily

Small Animals :

1 - 2 bolus twice daily

Presentation : 10 x 4 Bolus

Tried & trusted antibiotic since ages...

Genacyn LA

Gentamicin Sulphate 80 mg / ml.



Highly effective against pseudomonas & β -lactamase producer

- Female genital infections like metritis, endometritis & repeat breeding
- Urinary tract infections
- Skin & soft tissue infections
- Gastro-intestinal infections
- Otitis externa in dogs & cats
- Secondary bacterial infections

Dosage :
10 ml per 250 - 300 kg body weight

Presentation : 30 ml. Vial

Make more confident decision to control.....

Damaged Udder Leaking Teat Udder Fibrosis

Loss of Production Teat Shrinkage Alopecia

Groovit-HS

Vit. A 50,000 IU, Vit. D3- 10,000 IU,
Vit. E 50 mg., Vit. H 100 mcg., Vit. B12-20 mcg.
& Selenium 10 mcg. / ml. Liquid



- To improve milk holding capacity & Leaking teats
- Restores milk production after illness.
- Increases sexual strength, semen count, vigor & vitality of bulls & Horses
- Improves hatchability, reduces chick mortality

Recommended Dosage

Large Animals : 10 ml. daily

Small Animals : 2 ml. daily

Pet : 2- 3 ml. daily

Poultry : 5-7 ml. / 100 birds

Presentation : 100, 250, 500ml & 1 Ltr.

Your Poultry Health Guard

Growzen

Choline Chloride 16.125gm, Copper 40.80mg, Cobalt 51.25mg,
Diastase 75mg, Ferrous 60.40mg, Lysine HCl. 15.125gm, Methionine
Activity 36.60gm, Manganese 80.55mg, Magnesium 150.40mg,
Phosphorus 40.16mg, Sodium 125mg, Zinc 55.70mg/500ml



Improve hatchability of eggs & liveability of chicks

Improve daily weight gain & FCR & reduce mortality in broilers

Restore strength, vigour & vitality of birds by rapidly correcting metabolic disorders

Dosage

Chicks

0.5 ml per litre of drinking water

Growers and Broiler

0.5 ml per litre of drinking water

Layers and Breeders

1.0 ml per litre of drinking water.

Presentation : 500ml & 1 Ltr

Bring Animal into Heat

Heatzen

Chelated trace minerals & Coated Vitamins fortified
with Iodine Heat Inducer Bolus



Infertility (Non - Pathogenic).

Anoestrus - Suboestrus - Silent heat.

In Repeat Breeding.

Delayed maturity in heifers.

Prolonged post-partum anoestrus condition.

Dose :
One Bolus daily for 7 days

Presentation : 1 x 7 Bolus

When there's need to bring
Animal into heat

Glycine Chelated Minerals



Composition :

Glycine Chelated Minerals with
fortified Omega 3, Omega 6, Fatty
Acid along with essential Vitamins
Storage : Store in a cool & dry place.
Protect from light.


Dosage : 25-50 gm. daily for 21 days.
Keep out of reach of children.

Induce & Regulates ovulatory
oestrus cycles.

Normalises Function of Hypothalamus,
Pituitary, Ovarian & Uterine axis.

Stimulates the ovarian function &
ensures oestrus & timely ovulation.

Bring the animal in to Pronounced
ovulatory heat within 1-2 oestrus
cycles.



**21 days
Therapy
for desired
result**

BETTER CONCEPTION - IMPROVE FERTILITY

Presentation : 500 gm

Treatment of acute hypophosphataemia

Hi-Fos

Sodium Acid Phosphate 40.3 % w/v Injection



Dosage : (FOR IM/IV Use)

Large Animal :

5- 10 ml. for alternate days

Small Animals :

2 - 5 ml. daily can be adjusted according to the phosphorus need of the animal.

It is advisable to administer half the dose by S/C route in several places

Effective to treat metabolic disorders such as

◆ Post parturient Haemoglobinuria

◆ Hypophosphataemia

◆ Ketosis & Milk Fever

Presentation : 30 ml. Vial

Treatment of acute hypophosphataemia

Hi-Fos-M

Sodium Acid Phosphate 400 mg.&
Methylcobalamin 100 mcg. /ml. Injection



Dosage : (FOR IM/IV Use)
Large Animal :
5- 10 ml. for alternate days
Small Animals :
2 - 5 ml. daily can be adjusted
according to the phosphorus need of the animal
It is advisable to administer half the dose by S/C route in several places

Under developed Genitalia, Delayed Maturity

Anoestrus and maintenance of Pregnancy

To maintain steady & higher milk production

Presentation : 30 ml. Vial

Maintain pregnancy and prevent abortions....

Hiprost

Hydroxyprogesterone
Caproate 750 mg. / 3 ml.



Helps in preparation of uterus for implantation of fertilized ovum

Threatened, Habitual & Early / Late Abortions

Maintenance of Pregnancy

Prolapse of Uterus & Vagina

Dosage :

IM route only Habitual abortion in early pregnancy : 750 mg.

**IM after 1.5 month of pregnancy, to be repeated 4 or 5 times
at 10 days interval**

Repeated breeders with weak corpus luteum 500 mg. or 750 mg.

IM to be followed for 3 weeks

Prolapse of Uterus 750 mg. for two days

Induction of Oestrus 500 mg., if not responded repeat after 10 days

Presentation : 3ml. Dispo Pack

Prevent/Treatment **Kitosis**
& Maintain the Energy/Glucose Level

Ketoscare

L I Q U I D

Propylene glycol, Nicotinamide &
Gluconeogenic Phytochemical Additives

**Prevention of Kitosis is via
nutritional management**

- ↳ Optimizes the dry matter intake.
- ↳ Helps in fast recovery from ketosis.
- ↳ Helps to minimize formation of ketone bodies.
- ↳ Improve the post calving health & production.
- ↳ Increases availability of Energy/Glucose Level.
- ↳ Provide Glucose/Energy for lactation & body maintenance.
- ↳ Helps to bring back animal to feed & optimum milk production.



Dosage :
Cattle/Buffalo : 100 ml. to 200 ml. oral once daily

Presentation : 1 Ltr

Restore Liver health

Debility and Weakness

LIVOZEN

Choline Chloride 2000 mg., Liver Extract 40 mg,
Protein Hydrolysate 50 mg., Yeast Extract 40 mg.,
Inositol 35 mg., Niacin 24 mg., Di-Panthenol
2.5 mg. & Vit. B12 - 0.75 mcg / 10 ml.



Dosage :

Calf, Sheep and Dog :
3-5 ml daily for 7-10 days
Cattle, Horse and Camel :
20 ml daily for 7-10 days.

Poultry : Chicks : 0.5 ml per litre of drinking water

Growers and Broiler
0.5 ml per litre of drinking water
Layers and Breeders
1.0 ml per litre of drinking water.

Presentation : 200 & 500ml, 1 & 5 ltr.

Enhances Liver function & health

Livozen-Forte

Liver Extracts with Multivitamin, Choline Chloride,
Enzyme and B-Complex



Dosage :

Calf, Sheep and Dog
3-5 ml daily for 7-10 days
Cattle, Horse and Camel
20 ml daily for 7-10 days.

Poultry :

Chicks

0.5 ml per litre of drinking water

Growers and Broiler

0.5 ml per litre of drinking water

Layers and Breeders

1.0 ml per litre of drinking water.

Presentation : 200 & 500ml , 1 & 5 Ltr

Add Zing
To the Treatment
of **MASTITIS** with

MastiForte



- ★ Restores normal milk pH
- ★ Ensures complete recovery with normal milk yield
- ★ No relapse observed
- ★ Stop bleeding in Milk

Dosage & Administration :
30 g. twice daily orally by mixing in Jaggery or as an electuary for 5 days

Presentation : 60 gm

A logical partner of antibiotic therapy

Melzen

Meloxicam 5 mg. / ml Injection

The Safest NSAID
Powerful Analgesic



Dosage :

By parenteral route- IM only

As Antipyretic & Antiexudative :

In fever, Pneumonia, Mastitis,

Prolapse & surgery :

30 ml./300 kg bwt.

As Analgesic :

Cattle, Buffalo, Pig :

15 to 18 ml./300 kg bwt.

Calf, Sheep, Goat : 1 ml./10 kg bwt.

Horse : 30 ml. / 250 kg bwt.

Presentation : 100 ml. Vial

REINJECT LIFE IN YOUR ANIMAL

IN **INFLAMMATION,**
PAIN & FEVER

Melzen-P

Meloxicam 5 mg. &
Paracetamol 150 mg. / ml Injection



Additional anti-exudative

Effective control of endotoxins

Long acting effect

Safe for young animals

Least pain on administration

Dosage :

By parental route- Intramuscular only

As Antipyretic & Antiexudative :

In fever, Pneumonia, Mastitis,

Prolapse and surgery : 30 ml./300 kg bwt.

As Analgesic :

Cattle, Buffalo, Pig : 15 to 18 ml./300 kg bwt.

Calf, Sheep, Goat : 1 ml./10 kg bwt.

Horse : 30 ml. / 250 kg bwt.

Presentation : 30 & 100ml. Vial

Melzen-P

Meloxicam 100 mg. &
Paracetamol 1500 mg. Bolus



Combined NSAID therapy

Dosage :
Cattle, buffalo-2 bolus/400kg. of body weight
Once a day


Presentation : 10 x 4 Bolus

Gives comfort in associated cases of fever

Nimospas

Nimesulide 100 mg,

Pitofenone 2 mg. & Fenpiverinium 0.02 mg / ml. Injection



Dosage :

Large Animal
20 - 60 ml./ Kg
Body Weight

Small Animal :
5 -15 ml. / kg
Body Weight

Acute mastitis,

Acute respiratory infection

Musculoskeletal disorders

Relief of pain associated with colic

In combination with antibiotic therapy

Presentation : 30 ml. Vial

Fast acting combination
.....For speedy results

Nimosid

Nimesulide 400 mg., Paracetamol 1500 mg.
& Chlorzoxazone 1000 mg. **Bolus**



Dosage :

Small Animals :

1/2 - 1 bolus

Large Animals :

2 - 4 bolus for 3 - 5 days

or As per examination of Veterinarian

Presentation : 10 x 4 Bolus

Superior Analgesic,
Anti-inflammatory
& Antipyretic

Nimosid-P

Nimesulide 100 mg &
Paracetamol 150 mg / ml. Injection



Dosage :
2- 4 mg./ Kg Body Weight

Presentation : 30 & 100ml. Vial

An adjunct to antibiotic
treatment to overcome stress

Nuroen

Mecobalamin 500 mcg., Pyridoxine HCl. 50 mg.
& Niacinamide 50 mg. / ml.



Neuropathic Pain

Liver distress

Proper Cell Growth

Anaemia

Nervine Disorders

Mouth Ulcers & Stomatitis

Dosage

Cow, Buffalo, Horse : 5 -10 ml.

Calf, Sheep & Goat 1-2 ml.

Dogs & Cats 1 ml.

Presentation : 30 & 100ml. vial

**FIGHT AGAINST
MIXED INFECTIONS**

Ofzex

Ofloxacin 1200 mg. Bolus



Dosage
Cow & Buffalo :

1 Bolus / 100 kg Body Weight for 3 to 5 days

Presentation : 10 x 2 Bolus

SYNERGISTIC
ACTION AGAINST
BACTERIA & PROTOZOA

Ofzex-OZ

Ofloxacin 1200 mg. & Ornidazole 2700 mg. Bolus



Intra-abdominal Infections

Retention of Placenta

Pyometra & Endometritis

Management of Dystocia
& Prolapse of Uterus

Dosage
Cow & Buffalo :

1 Bolus / 100 kg Body Weight for 3 to 5 days

Presentation : 10 x 2 Bolus

Eliminate barriers, enhance relief

Ofzex-SP

Ofloxacin 1200 mg. &
Serratiopeptidase 75 mg. Bolus



Mastitis & Metritis | Diarrhoea & Dysentery

Pneumonia & H.S. | Dermal Infection

Secondary Bacterial Infections | Stenosis of Teat Canal

Other any infections

Dosage :

Large Animals : 1 Bolus BID
Small Animals : ½ Bolus BID

Presentation : 10 x 2 Bolus

A complete **nutrient**
for **cell division & growth**
of embryo for better **conception rate**



Ovazen

For Zygote Development

Composition:- Linolenic Acid, Linolenic Acid, Eicosapentaenoic Acid (EPA), Docosahexaenoic Acid (DHA), Beta Carotene and 16 Nutrient



Recommendations :

Repeat Breeders & delayed onset of heat.

Feeding Recommendations :-

0 day	1 day	2 day	3 day	4 day	5 day
A.I.	50 ml				

Presentation : 250 ml.

WHEN ANIMALS GET INFESTED WITH
MIXED WORMS, LIVERFLUKES,
AMPHISTOMES & NASAL BOTS

Oxycloz DS

Oxyclozanide 6 % &
Levamisole 3 % Suspension



Dosage : Large Animal 90 ml.
Small Animal : 10 ml.

Presentation : 30 & 90ml.

SAFEST DEWORMER

Oxycloz 4.5%

Oxyclozanide 3% & Levamisole 1.5 Suspension

In the treatment of gastrointestinal & lung worm infections in cattle, calves, sheep & goats like : Trichostrongylus, Cooperia, Ostertagia, Haemonchus, Nematodirus, Chabertia, Bunostomum, Dictyocaulus & Fasciola (liverfluke) spp.




Dosage : Large Animal 90 ml.
Small Animal : 10 ml.

Presentation : 100ml. & 1 ltr

Act against a broad spectrum of
gastrointestinal worms & lung worms.

Oxycloz-DS

Oxyclozanide 4000 mg. &
Levamisole 2000 mg. Bolus



In the treatment of gastrointestinal &
lung worm infections in
cattle, calves, sheep & goats like :
Trichostrongylus, Cooperia, Ostertagia,
Haemonchus, Nematodirus, Chabertia,
Bunostomum, Dictyocaulus &
Fasciola (liverfluke) spp.

Dosage :
1 Bolus per 300 kg Body Weight

Presentation : 1 Bolus

Maintain Appetite with....

Protite

Ferrous Sulphate 100 mg, Cobalt Chloride 40 mg,
Liver Extract 40 mg, Vit. B1 40 mg, Live Yeast
Culture 10×10^9 CFU, Fungal Diastase 40 mg,
Choline Bitartate 80 mg **Bolus**



Anaemia

Anorexia of any origin

Simple Indigestion

Ruminal Acidosis

Ruminal Stasis

Damaged Ruminal Micro flora

Dosage :

Large Animal : 1 -2 bolus daily
Small Animals : 1/2 bolus daily

Presentation : 1 x 4 Bolus

A HEPATIC STIMULANT,
PRODUCTION ENHANCER & GROWTH PROMOTER

RectiLiv

Andragraphis Paniculata 4% w/v, Tephrosia Purpurea 3% w/v, Boerthavia Diffusa 2% w/v, Solanum Nigrum 4% w/v, Eclipta Aiba Hassk 4% w/v, Terminalia Chebula 2% w/v, Terminalia Bellicris 3% w/v, Embilica Officinalis 3% w/v, Zingiber Officinalis 1% w/v

Dosage
Livestock :

Cattle, Buffaloes, Horses & Camels	50 ml twice daily
Calves, Pigs & Foals	20-25 ml twice daily
Sheep & Goats	15-20 ml twice daily

Poultry : (Per 100 birds)

Chicks	5 ml per day
Growers	10 ml per day
Layers/Broilers	20 ml per day

Fish/shrimp : (Per kg feed)

Upto 10 weeks	20 ml
11 weeks and above	50 ml

Higher dosage may be used
as directed by your veterinarian.



Presentation: 200/500ml & 1 Ltr.

*Difficulty in calving....
..Loss of production*

Utrozen

ECBOLIC & UTERINE CLEANSER



Dosage :

Cow, buffalo & Mare :
In case of ROP 100 ml. twice
on first day, followed by 100 ml.
once a daily for the next three days.
In other conditions 50 ml. twice daily

Ewe, doe & sow :
50 ml. twice on first day, followed by
25 ml. for the next three days.

Retention of placenta (ROP)

Uterine infections like metritis, pyometra etc.

Irregular lochial discharge

Delayed involution of the uterus

Presentation : 500ml. & 1 ltr

WHEN ANIMALS GET INFESTED WITH
MIXED WORMS, LIVERFLUKES,
AMPHISTOMES & NASAL BOTS

Wormze

Albendazole 25mg Oral Suspension



Dosage :

Goat & Sheep:

1.0 ml. pr 5 kg body weight.

Liver fluke:

1.0 ml. per 3 kg body weight

Calves & Cattle :

1.0 ml. per 3 kg body weight

Liver fluke :

1.0 ml. per 2.5 kg body weight

Presentation : 30/90ml & 1 Ltr.

Fill up the depleted requirement

For Livestock & Poultry

Zencal

Oral Calcium with Vitamin A,D3 & B12
Supplement for Livestock & Poultry



Dosage :
Large Animal :

15- 20 ml. thrice a week for 1-2 weeks

Small Animals :

Twice a week for 1-2 weeks

Hypocalcemia

Milk Fever

Lactation Tetany

Dysgalactia

Fatty Liver syndrome

Presentation : 500 ml. & 1 Ltr

Takes care of your animal

Zenicure *Spray*

Devadaru 83%, Neem 3%, Haldi 4% & Turpentine Oil 10% Spary



in treating

Maggots

FMD Lesions

Dermatotomycosis,

Foot-rot

Usage : Clean the affected part apply cream in sufficient quantity once or twice daily until complete cure is achieved

Presentation : 100 ml. Spray

BOLUS FOR ANOREXIA & RUMEN DYSFUNCTION

ZENICARE-YC

Saccharomyces cerevisiae 15000 MCFU, Bacillus Subtilis
500 MCFU, Propionibacterium Freudenreichii 500 MCFU
Liver Extract 15mg Bolus



**Anorexia, Indigestion, Bloat, Rumen Disorders,
Dysentery, Diarrhoea with and after antibiotic treatment**

Dosage :

Large Animals - 2 Bolus daily
Small Animals - 1/2 Bolus daily
or as directed by the veterinarian.

Presentation : 10 x 4 Bolus

A blessed healing ailment for the animal

ZENICURE OINTMENT

Boric Acid 4.5%, Benzoic Acid 5%, Salicylic Acid 3.5%,
Zinc Oxide 4.5% & Sulphur 1% Ointment



ANTIBACTERIAL ANTIFUNGAL ANTIMICROBIAL

Usage : Clean the affected part apply cream
in sufficient quantity once or
twice daily until complete cure is achieved

Presentation : 50gm Pack

Complete Nutritional Feed Supplement For Pregnant Animals

ZENLITE

Complete Nutritional Feed Supplement
For Pregnant Animals



Avoid Pregnancy associated problems

Helps in Udder development

Prevention of milk fever, ROP & Prolapses

Helps in smooth calving

Cattle & Buffaloes :

50 gm. in morning &
50 gm. in evening daily
for 20 days during last
month of pregnancy

Presentation: 50g. (20 x50g Pack)

An essential requirement before & after
PREGNANCY

Zenomin Gel



Calcium 6600 mg., Phosphorus 3400 mg.,
Vitamin D3-32000 I.U., Vit. B12-400 mcg.
Lepidium Sativum 200 mg./ 100 g.

Facilitates rapid & efficient absorption
of calcium

Enhances serum calcium level within
few minutes of oral administration

Maintains serum calcium level longer
than IV fluids / oral solutions

Direction for use :

Regular Use : For Higher milk yield, administer one bottle
per animal per day for 5-10 days


To Prevent Milk Fever : Give one bottle at the first sign of
calving & give another bottle after 6 to 12 hours of post
calving, repeat every 12 hours as needed

Presentation : 300 ml.

*A trusted & time-tested
broad-spectrum antibiotic,
which assures rapid therapeutic response*

Zenoxy

Oxytetracycline 50mg Injection



HS | Anthrax | BQ
Actinobacillosis | Actinomycosis
Mastitis |
Salmonellosis (Urogenital Infections)
Theileriosis | Secondary Bacteria &
Complication of Viral disease

Dosage :

Cattle : 1 ml/10 kg body mass
Swine : In pigs weighing up to 1 ml/10 kg,
administer 1 ml subcutaneously
Sheep & Goats : 1 ml/10 kg body mass by
intramuscular injection

Presentation : 100ml

A trusted & time-tested
broad-spectrum antibiotic,
which assures rapid therapeutic response

Zenoxy-LA

Oxytetracycline 200mg Injection

Cattle : For the treatment of tick-borne gallsickness (anaplasmosis), heartwater, pneumonia, footrot, joint ill, navel ill & pink eye (infectious bovine keratoconjunctivitis).

Swine : For the treatment of pneumonia, joint ill & navel ill.

Sheep & goats : For the treatment of heartwater, pneumonia, footrot, joint ill and navel ill.



Dosage :

Cattle : 1 ml/10 kg body mass

Swine : In pigs weighing up to 1 ml/10 kg, administer 1 ml subcutaneously

Sheep & Goats : 1 ml/10 kg body mass by intramuscular injection

Presentation : 30 & 100ml. Pack

Relieve stress, Provide relief from heat

Instant Power Drink

Zenocool



- Provides Instant Energy
- Useful in dehydration
- Relieves stress & diarrhoea
- Enhance Immunity
- Relieves weakness & Panting
- Immediately after race or exercise of horses
- Gives Internal Boost to Pregnant Animals

Dosage :

Large Animals : 50 g. daily with
(Cow, buffalo drinking water for
Horse, Camel) 3 to 5 days

Small Animals : 20 to 25 g. daily
for 3 to 5 days.

Poultry : 50 g. for 500 birds

Presentation : 500gm Pack

An essential Vitamin C supplementation.

Zeno-C

Ascorbic Acid 250 mg/ml. Injection



Dosage :

5-10ml administered by intramuscular injection twice weekly or as advised by a veterinary surgeon.

MASTITIS
ENVIRONMENTAL
STRESS

BLOODY DIARRHOEA
OFF FEED
SCURVY DISEASE
HELPS IN RECOVERY
FROM FMD
METRITIS
WOUND HEALING
HIGH TEMPERATURE
PYROMETRA
HEALING OF TEETH

Presentation : 30ml Vial

Zenbloat

Anti-bloats & Anti-constipation Suspension



BLOATING

TUMIDY

COLIC &
CONSTIPATION

DOSAGE:

Large Animal: 100 ml (Cow & Buffalo)
Small Animal: 50 ml (Sheep & Goat) or
As advised by the veterinarian.

Presentation : 100 ml.

When PARASITE create MENACE ?

.....check them with

Zenomec

Ivermectin Oral Solution 0.08%



for the treatment
and control of
Internal & External
Parasites

Oral administration :
A single dose : 1 ml / 4 Kg. body weight

Presentation : 1 ltr.

When PARASITE create MENACE ?
.....check them with

Zenomec

Ivermectin 100 mg. Bolus

Single dose Therapy



Kill's Internal Parasite / Lice etc
Safe to pregnant Animals

Dosage :
1 Bolus per 300 kg body weight

Presentation : 1 Bolus

Broad spectrum Endectocides

Zenomec

Ivermectin 10 mg./ ml. Injection

ERADICATES
Ecto & Endo Parasites



DOSAGE & ADMINISTRATION **To be given subcutaneously**

Cattle, Sheep, Goat, Camel & other animals :
1 ml per 50 kg body weight

Pig :
1 ml per 33 kg body weight
Dog :
0.02 ml. per kg body weight

Presentation: 1ml Dispo Pack, 10 & 100ml vial

When PARASITE create MENACE ?

.....check them with

Zenomec-3.15%

Ivermectin 31.5 mg. / ml. **LONG ACTING** VEHICLE SYSTEM



- 97 - 100% effective against G.I. Nematodes, Cestode, trematode & Lung Worms
- High Success ratio
- Excellent Safety Profile

Dosage :

1 ml. per 50 kg. body weight by SC use
includes 10 ml. syring with needle

Presentation : 10ml Vial

Supplement enriched with Chelated Minerals & Vitamins
for animal feeding with milk enhancing Asparagus & Leptadenia

Zenomin Gold

Calcium, Phosphorus, Minerals, Vitamins, **Asparagus & Leptadenia** Liquid

Purest form - Homogenous suspension

Easy to digest - Easy administration

Reduces calf mortality

Avoids prolapse

Builds calcium reserves -Avoid milk fever

Ensures healthy lactation

Reduces stress, improves health & reproduction

Helps in delaying the progression of Osteoporosis



SUPPLEMENTATION RATE

Large Animals : 100 ml. twice daily

Small Animals : 50 ml. twice daily

Poultry for 100 birds

Chicks : 50 ml. daily

**Presentation : 200ml, 500ml, 1/2/5/10 Plastic Dolu,
5/10 Ltr Steel Dolu, 10/20/40 Ltr Milk Can**

Setting standards in the health care.....

Zenomin Gold

Tribasic Calcium Phosphate 4.8 gm, Vit. D3 20000 IU, Vit. A 50000 I.U., Vit. B12-100 mcg, Vit. H 100 mcg, Vit. E 100 mg, Selenium 0.5 mg, Cobalt 40 mg, Jivanti 1000 mg, Shataveri 1000 mg, Ferrous 100 mg., Ginseng 200 mg., Copper 50 mg. Zn. 50 mg., Mang. 25 mg (Abv. 3 Minerals Chelated with Methionine) **BOLUS**



General Health

Pregnancy & Lactation

Parturition

Undeveloped Udder

Presentation : 20x1 Bolus

**Rich combination of Vitamins, Minerals,
Probiotics, Amino Acids
fortified with Selective herbs Extract**

Zenomin Forte

Vit. A 750000 I.U., Vit. D3 75000 I.U., Vit. E 350 mg, Nicotinamide 1000 mg, Cobalt 250 mg, Copper 1200 mg, Iodine 350 mg, Iron 1500 mg, Mag. 6000 mg, Manganese 1500 mg, Zinc 9600 mg, Potassium 100 mg, Selenium 15 mg, Sod. 6.9 mg, Sulphur 0.72%, Cal. 32%, Ph. 17.5%, Tri Sod. Citrate 60 mg., Chromium 50 mg., Bye paas Fat 50 mg., Live Yeast Culture 25 x 10 CFU, LAB 200 million CFU, Vit. K 100 mcg., Energy 2000 Kcal



Stimulates ruminal microflora
- resulting in better feed
conversion ratio

Helps in regaining milk
production after diseased
condition like mastitis

- MIXING RATIO:**
- ~ 50 g per cow/buffalo per day to be mixed in the feed for maintenance and for better milk production.
 - ~ 25 g - 30 g per calf/sheep per day to be mixed in the feed for better weight gain.
 - ~ 25 g - 30 g per pig per day to be mixed in feed for better weight gain & maintenance.
 - ~ 50 g per horse per day to be mixed in the feed for better health & maintenance.
or 1 kg - 2 kg to be mixed in 100 kg feed.

Presentation: 1, 5, 10, 20 & 25 kg

Control ticks, flies, mites & lice

Zentraz

Amitraz Dip Concentrate IP



Dosage :

Animals	Zentraz 12.5 % per lt of water for Ticks	Zentraz 12.5 % per lt of water for Mites (Manage), Lice
Cattle / Camel	2 ml	2 ml
Sheep / Goats	4 ml	4 ml
Dogs	2 ml	4 ml
Pigs	4 ml	4 ml

Presentation : 6ml, 15ml & 50ml

Revitalize the animal

Zenkoferrool

Malt-Based Vitamins, Iron, Copper & Calcium Supplement



Each 21 g contains: -	
Malt Extract	4.52 g.
Calcium Gluconate	360 mg.
Ferric Ammonium Citrate (equivalent to 64.5 mg of Fe)	300 mg.
Copper Sulphate	100 mg.
Cobalt Chloride	1.5 mg.
Cholecalciferol (Stabilized Vitamin D3)	3600 I.U.
Niacinamide	45 mg.
Biotin	75 mcg.
Folic Acid	1.5 mg.
Cyanocobalamin (Vitamin B12)	15 mcg.

- During & After Pregnancy.
- After Treatment of Haemprotozoal Diseases.
- Acute Loss of Blood.
- Due to Parasitic Infestation.
- Anaemia
- General Weakness
- Supportive Treatment of Joundice.

USAGE:

Cattle, Buffaloes & Horses : 30 to 50 gm daily.

Calves, Sheep & Goats : 10 to 15 g daily

Camel : 10 g/ 100 Kg b.wt. daily.

Swine : Adult : 25-30 g daily.

Grower : 5-10 g daily.

Poultry : 20 g per 100 birds daily

Broilers : 20 g per 100 birds daily

Presentation : 450g & 2.5kg

FOR DYSPEPSIA & DEBILITY

Zenley **Pachak**

Appetite Stimulant & Digestive Supplement



Indigestion | Anorexia

Weakness & Stress | Poor feed intake

Poor appetite | Digestive Dysfunction

DOSAGE :

Cows, Buffaloes & Horses	: 15g daily for 3-5 days
Calves, Heifers & Colts	: 5-7.5g daily for 3-5 days
Sheep & Goats	: 3-5 g daily for 3-5 days
Other animals	: As per age and body weight

Presentation : 15g/100g/500g & 1 kg


Restore the gut motility

Zentox

Copper Sulphate 25%, Glacial Acetic Acid 2%

Propionic Acid 2%, Phosphoric Acid 1%

Choline Chloride 0.05% / 1000 ml.



Binds the toxin & mould in feed & water effectively.

Control pathogenic bacteria in gut

Prevents the outbreak of diseases.

Controls the pH of water,

Stimulates the liver for better digestion & absorption of feed nutrition.

Improves renal function and purifies blood.

DOSAGE :

Poultry : 1 ml / 1 Lit for 5-7 days in drinking water or as suggested by a Registered Veterinarian.

Presentation : 500 ml.

**A synergistic combination of
Cephalosporin with Proteolytic enzymes**

Zenlex IU

Cephalexin 1.5gm &
Serratiopeptidase 10mg/4gm Dry Suspension



Metritis | Vaginitis | Cervicitis | Pyometra
Retention of Placenta | Prolapse & other infections


Usage :
Reconstitute with 60 ml water
and infuse in the uterus

Presentation : 4gm/60 ml

Oral Rehydration, Antistress & Antidiarrhoeal formula

ZRS

Solution of Physiologically important Electrolytes in Carbohydrate



Zenley Rehydration Solution

Each 100 ml. contains :

Calcium Lactate	0.1200g.
Potassium Chloride	1.8625g.
Magnesium Sulphate	0.3000g.
Sodium Chloride	0.2923g.
Sodium Acid Phosphate	0.6240g.
Tri Sodium Citrate	4.2153g.
Dextrose Monohydrate	40.000g.

DOSAGE:

CALVES: 100ml daily for 5 days.
Cows/Buffaloes : 500ml daily for 5 days

POULTRY : PER 1000 Birds

Chicks : 200ml

Growers : 400ml

Layers : 800ml

DURING DIARRHOEA

WEAKNESS

TRANSPORTATION

HEATSTRESS

Presentation : 500ml

*Complete Protection
from Ectoparasites*

Zentick

Permethrin, Cetrimide & Aloevera Soap



Scabies

Ticks

Lice & Miles

Presentation : 75 gm

Antifungal & Antibacterial

SHAMPOO
with
CONDITIONER

Ayushtick



An antimicrobial, antifungal moisturizing shampoo.

Helps soothe the coat & skin, reduce skin irritation & inflammation while repelling parasites and other insects from Pets.


Nourishes & hydrates their coat as well.

affordable, effective & safe solution for pet

Presentation : 100 & 200ml

An Anti-cough Formula for Pets

KasaZen



Each 5 ml contains Aqueous Extract derived from :		
Ocimum Sanctum	Tulsi	70 mg
Tinospora Cordifolia	Giloy	70 mg
Viota Odorata	Bankshaa	70 mg
Vitis Vinifera	Mukaka	70 mg
Glycyrrhiza Glabra	Mulethi	65 mg
Foeniculum Vulgare	Saunf	65 mg
Ficus Carica	Anjeer	60 mg
Cordia Wallichii	Lahsura	30 mg
Ziziphus Jujuba	Unav	60 mg
Onosma Bracteatum	Gajban	60 mg
Althaea Officinatis	Resha khatmi	60 mg
Solanum Xanthocarpum	Kantakari	60 mg
Rhus Successediana	Kakarsinghi	60 mg
Myrina nagi thumb	Kaiphal	60 mg
Prunella Vulgaris	Ustukhudus	900 mg
Sarcostemma Brevistigum	Somlata	900 mg
Adhatoza Vasica	Vasaka	1200 mg

Respiratory Tract Infections | Bronchitis
Bronchopneumonia | Throat infection & irritation
Dry, Hacking coughing and sneezing.

Dosage : - 10 - 15 ml thrice a day or
as directed by the Veterinarian.

Presentation : 100 ml

Ayurvedic Liver Tonic for Pets

Rectiliv



Each 5ml. contains :

Andrographis Paniculata	2.5% w/v
Silybum Marianum	1% w/v
Tephrosia Purpurea	1.5% w/v
Boerhavia Diffusa	1% w/v
Solanum Nigrum	2% w/v
Eclipta Alba Hask	2% w/v
Lawsonia Alba	1% w/v
Terminalia Chebula	1% w/v
Terminalia Bellirica	1.5% w/v
Emblica Officinalis	1.5% w/v
Tinospora Cordifolia	1.5% w/v
Piper Longum	1.5% w/v
Zingiber Officinale	1% w/v

Presentation : 200ml

Benefits: -

- Aids restoration of Liver Health & Normal Functionality.
- Improves digestive performance during appetite and irregular appetite.
- Improves overall performance in Debility, Post-deworming & convalescence period.
- As a supportive tonic in management of important viral or bacterial infections.
- Augments healthy living & general performance.

Dosage: -

Puppies : 1 - 2 ml twice daily
Small Breeds (<10 Kg.) : 2.5-5ml twice daily
Medium Breeds (10-15 Kg.) : 5ml-7.5ml twice daily
Large Breeds (>15 Kg.) : 10 ml twice daily.

Control HAIR FALL
HEALTHY SKIN SHINY COAT

Shinemax COAT



Composition :-

Each 5ml. contains :

Omega 3	8800 I.U.
Omega 6	
Omega 9	
Vitamin A	2200 I.U.
Vitamin D3	220 I.U.
Vitamin E	22 I.U.
Biotin	50 mcg.
Zinc Sulphate	10 mg.
Ascorbic Acid	10 mg.
Selenium	10 mcg.

Benefits:-

- To Improve the Health of Skin & Coat.
- Remedy for skin conditions such as Dermatitis, Seborrhea and Pruritus in Conjunction with other treatments.
- Fungal Skin infection and pyoderma.
- Allergic Skin conditions like flea bite & atopy

Presentation : 200ml

Calcium, Phosphorus, Vitamins & Minerals
Feed supplement for Pets

Zenomin

PET LIQUID



Benefits :-

- Healthy Bone & teeth.
- Improves Growth of Pets.
- Improves strength of joints
- Useful for Both young and Older Pets.
- Provides balanced nutrition level to pets

Each 5 ml contains :-


Calcium	85 mg.
Phosphorus	44 mg.
Vitamin A	2500 I.U.
Vitamin D3	400 I.U.
Vitamin B12	6 mcg.
Potassium Chloride	75 mcg.
Sodium Chloride	75 mg.
Magnesium Sulphate	3 mg.
Manganese Sulphate	250 mg.
Zinc Sulphate	4 mg.
Pantothenic Acid	250 mcg.
Folic Acid	10 mcg.
Carbohydrate	100 mg.
In a flavoured syrup base	q.s.

Dosage :-

Pups & Cats - 5 ml Twice daily
Adult Dogs - 10-15 ml Twice Daily
or as directed by the Veterinarian.

Presentation : 200ml

Potassium Permanganate



USAGE:

Fish Farming: Water Treatment.

Disinfectant.

Fumigation of Poultry Farms & Hatcheries.

To Clean the Udder of Dairy Cattle.

Presentation : 400gm

Potassium Iodide




USAGE/DOSAGE:

- Clean the Udder of Dairy Cattle.
- Clean the Utensils for Storing Milk.
- Clean the Uterus of Dairy Cattle.
- Reduce the Bacterial Infections.
- Useful in Animal feed to overcome the iodine deficiency.

Presentation : 20 gm

Magnesium Sulphate IP

EPSOM SALT: FAST ACTING PURGATIVE AND LAXATIVE



- **EPSOM SALT** is a laxative and purgative
- It relieves constipation of non specific causes in Cattle, Sheep, Goats, Pigs and Horses.
- It helps the animal regain Vitality and Production.
- Livestock under treatment should be given plenty of water to avoid dehydration.
- In case of extreme constipation with no indication of improvement consult a vet for medical attention

DOSAGE, ROUTE AND METHOD OF ADMINISTRATION

Product should be administered orally, usually a single dose, after preparing a salt solution of magnesium sulphate in a ratio of 1 part magnesium sulphate and 5 parts water, as follows:

- Horses: 200-500 g/ animal
- Cattle: 400-800 g/ animal
- Sheep, Goats: 40-100 g/ animal
- Swine: 25-50 g/ animal
- Dogs: 10-25 g/ animal

Presentation : 400gm



S.P.O. : Zenley House, 34, Sena Nagar, Dhulkot, Ambala City - 134 003
email us at : zenleyanimalhealth@gmail.com,
visit us at : zenley.in